

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|--|------------------|---------|-----------------|
| I5 | 38 | tracking with container same profile (shipment or shipping) | US-PCPUB; USPAT; USOCR; IPRS; EPO; JPO; DERWENT; IBM_TIB | AND | ON | 2008/07/2107:58 |
| I6 | 8 | tracking near3 container same profile (shipment or shipping) | US-PCPUB; USPAT; USOCR; IPRS; EPO; JPO; DERWENT; IBM_TIB | AND | ON | 2008/07/2108:00 |
| I7 | 7 | track\$3 near3 container same profile (shipment or shipping) | US-PCPUB; USPAT; USOCR; IPRS; EPO; JPO; DERWENT; IBM_TIB | AND | ON | 2008/07/2108:01 |
| I8 | 37 | track\$3 same container same profile (shipment or shipping) | US-PCPUB; USPAT; USOCR; IPRS; EPO; JPO; DERWENT; IBM_TIB | AND | ON | 2008/07/2108:02 |
| I9 | 7 | track\$3 same container near3 profile (shipment or shipping) | US-PCPUB; USPAT; USOCR; IPRS; EPO; JPO; DERWENT; IBM_TIB | AND | ON | 2008/07/2108:02 |
| I10 | 23 | track\$3 same container near3 description (shipment or shipping) | US-PCPUB; USPAT; USOCR; IPRS; EPO; JPO; DERWENT; IBM_TIB | AND | ON | 2008/07/2108:04 |
| I11 | 101 | track\$3 same container near3 description | US-PCPUB; USPAT; USOCR; IPRS; EPO; JPO; DERWENT; IBM_TIB | AND | ON | 2008/07/2108:05 |
| I12 | 62 | track\$3 same container near3 (description or profile) | US-PCPUB; USPAT; USOCR; IPRS; EPO; JPO; DERWENT; IBM_TIB | AND | ON | 2008/07/2108:05 |

| | | | | | | |
|-----|-----|--|--|-----|----|-----------------|
| L3 | 84 | track\$3 near3 container near3 (description or profile) | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/2108:05 |
| L4 | 62 | B and security | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/2108:07 |
| L5 | 14 | H and input near3 data | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/2108:07 |
| L6 | 14 | B and input near3 data | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/2108:08 |
| L7 | 72 | B and input | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/2108:08 |
| L8 | 5 | track\$3 with container near3 (description or profile)same contents | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/2108:17 |
| I20 | B48 | (hazardous or biological or illegal) with (package or container or parcel or bin) security | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/2108:51 |
| I21 | 117 | (hazardous or biological or illegal) with (package or container or parcel or bin) security near3 risk | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/2108:51 |
| I22 | 118 | (hazardous or biological or illegal) with (package or container or parcel or bin) security near3 threat | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/2108:53 |

| | | | | | | |
|-----|-----|---|--|-----|----|-----------------|
| I23 | 100 | (hazardous or biological or illegal) with (package or container or parcel or bin) security near threat | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/2108:53 |
| I24 | 62 | 23 and (package or container or parcel or bin) same profile | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/2108:54 |
| I25 | 60 | 23 and (package or container or parcel or bin) with (search or inspection) | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/2108:55 |
| I26 | 86 | 23 and (package or container or parcel or bin) with (search or inspect \$3) | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/2108:55 |
| I27 | 26 | 26 NOT 25 | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/2108:55 |
| I28 | 358 | profile with risk with assessment | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/2109:44 |
| I29 | 15 | 28 ((security with risk) or (security with level)) same (package or parcel or container) | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/2109:45 |
| I30 | 7 | 28 ((security with risk) or (security with level) or (high or low) near risk) same (parcel or container or bin) | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/2110:00 |
| I31 | 6 | profile with risk with assessment (high or low) near risk same (parcel or container or bin) | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/2110:02 |

| | | | | | | |
|-----|-----|---|--|-----|----|------------------|
| I32 | 6 | profile with risk with assess\$4 (high or low) near risk same (parcel or container or bin) | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/21 10:03 |
| I33 | 30 | risk with assess\$4 (high or low) near risk same (parcel or container or bin) | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/21 10:03 |
| I34 | 24 | 33 NOT 32 | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/21 10:04 |
| I35 | 23 | 8 and "705".clas. | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/21 10:42 |
| S1 | 226 | (package or container) with tracking same profile | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/11 13:43 |
| S2 | 182 | (package or container) with tracking same profile ship\$4 | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/11 13:45 |
| S3 | 10 | S2 and search with engine | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/11 14:01 |
| S4 | 156 | (search or thesaurus) with engine same (expand\$ or increas\$3 or add\$3) same (match or hit) | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/15 10:02 |

| | | | | | | |
|-----|-----|---|--|-----|----|------------------|
| S5 | 34 | (search or thesaurus) with engine same (expand\$ or increas\$3 or add\$3) same (match or hit) same profile | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/15 10:03 |
| S6 | 280 | data near3 extract \$3 same profile search near (engine or module or tool) or thesaur \$4 same update\$3 with profile | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/16 16:07 |
| S7 | 35 | data near3 extract \$3 same profile same search near (engine or module or tool) or thesaur \$4 same update\$3 with profile | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/16 16:09 |
| S8 | 36 | data near3 extract \$3 with document profile same search near (engine or module or tool) or thesaur \$4 same update\$3 with profile | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/16 16:11 |
| S9 | 36 | (data near3 extract \$3 with document) profile same search near (engine or module or tool) or thesaur \$4 same update\$3 with profile | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/16 16:13 |
| S10 | 32 | (data near3 extract \$3 with document) and (profile same search near (engine or module or tool) or thesaur \$4 same (update\$3 with profile)) | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/16 16:14 |

| | | | | | | |
|-----|-----|---|---|-----|----|------------------|
| S11 | 0 | (data near3 extract \$3 with document)and (profile same search near2 ((engine or module or tool)or thesaur \$4) same (update \$3 with profile)) | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_ TDB | AND | ON | 2008/07/16 16:14 |
| S12 | 32 | (data near3 extract \$3 with document)and (profile same search near2 ((engine or module or tool)or thesaur \$4)) | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_ TDB | AND | ON | 2008/07/16 16:15 |
| S13 | 173 | (data near3 extract \$3)and (generat \$3 with profile) search with (extract \$3 with data) | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_ TDB | AND | ON | 2008/07/16 16:38 |
| S14 | 466 | ((security with risk) or (security with level)) same (package or parcel or crate or container)and (shipm inet or shipping) | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_ TDB | AND | ON | 2008/07/20 18:49 |
| S15 | 466 | ((security with risk) or (security with level)) same (package or parcel or container)and (shipm inet or shipping) | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_ TDB | AND | ON | 2008/07/20 18:49 |
| S16 | 289 | S15 and profile | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_ TDB | AND | ON | 2008/07/20 18:49 |

| | | | | | | |
|-----|-----|--|--|-----|----|-----------------|
| S17 | 227 | ((security with risk) or (security with level)) with (package or parcel or container) and (shipment or shipping) | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/20 8:51 |
| S18 | 257 | ((security with risk) or (security with level)) with (package or parcel or container) and (shipment or shipping) | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/20 8:53 |
| S19 | 97 | S18 (package or parcel or container) with profile | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/20 8:53 |
| S20 | 160 | S18 NOT S19 | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/20 9:21 |
| S21 | 123 | S20 and container | US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/07/20 9:38 |

7/21/2008 10:42:37 AM

C:\Documents and Settings\Joseph\My Documents\EAST\Workspaces\10725666.wsp